

## EPLAN projects GDDE

Key features

### At a glance



An automatically created EPLAN project is the simple solution for dealing with complex, configurable products.

Festo offers a service for automatically compiling a complete, correctly configured EPLAN project.

#### Innovative

- Create EPLAN documentation for a complex Festo product in just a few minutes
- No need for time-consuming creation of documents from individual macros by hand
- Available at any time via the web service

#### Economical

- Save time and costs with automated creation of EPLAN projects

#### Reliable



- Complete, correctly configured mechatronic model
- Automated generation in accordance with IEC 61355, IEC 81346 and ISO 1219

## EPLAN projects GDDE









Technical data



General technical data	
System requirements	Support for EPLAN P8 version 2.3 or later
Function range	Bills of materials
	2D structural overview
	PLC overview page
	Representation of electrical system
	Representation of fluid behaviour
Language	German
	English
Output format	ZW1
	PDF
Ambient conditions	No special ambient conditions required
Safety instructions	No special safety instructions required







# EPLAN projects GDDE

Technical data

Configurable products with EPLAN project GDDE			
	Description	Part no.	Type code
<b>Motion Terminal</b>			
	Flow rate up to 480 l/min	<b>8047502</b>	<b>VTEM</b>
<b>Valve terminals MPA</b>			
	Flow rate up to 870 l/min	<b>539105</b>	<b>MPA-MPM-VI</b>
		<b>530411</b>	<b>MPA-FB-VI</b>
		<b>546279</b>	<b>MPA-ASI-VI</b>
		<b>546280</b>	<b>MPA-CPI-VI</b>
		<b>569926</b>	<b>MPAL-VI</b>
		<b>575465</b>	<b>MPAC-VI</b>
<b>Valve terminal VTUG</b>			
	Flow rate 90 ... 1200 l/min	<b>573606</b>	<b>VTUG</b>

# EPLAN projects GDDE

Technical data

Configurable products with EPLAN project GDDE				
	Description	Part no.	Type code	
<b>Valve terminals VTSA</b>				
	Flow rate 550 ... 4000 l/min	<b>539215</b>	<b>VTSA Multipol</b>	
		<b>539216</b>	<b>VTSA-NPT Multipol</b>	
		<b>547963</b>	<b>VTSA-F-MP</b>	
		<b>539217</b>	<b>VTSA CPX</b>	
		<b>539218</b>	<b>VTSA-NPT-CPX</b>	
		<b>547965</b>	<b>VTSA-F-CPX</b>	
		<b>555564</b>	<b>VTSA ASI</b>	
		<b>555565</b>	<b>VTSA-NPT ASI</b>	
		<b>555566</b>	<b>VTSA-F ASI</b>	
<b>Modular electrical terminal</b>				
	To control valves and inputs/outputs, bus connection to higher-order controller	<b>197330</b>	<b>CPX</b>	
		<b>562818</b>	<b>CPX-P</b>	
				
<b>Ordering data</b>				
	Designation	Description	Part no.	Type code
	EPLAN project GDDE	Software	<b>8077593</b>	<b>GDDE-PF</b>