

## TEMPERATURE SENSOR TEPK NTC20

TEPK NTC20 temperature sensor is designed for automatic HVAC systems to detect radiator temperatures.

Temperature is detected by an NTC20 element with a nominal resistance of 20 k $\Omega$ /25 °C.

Sensor is mounted on the pipe by means of an adjustable tie.



### Technical data:

Sensor	20 k $\Omega$ NTC thermistor
Pipe	Ø 10...90 mm
Prot. class	IP 54
Cable	2 m LIYY 2 x 0,14
Range	-20...+80 °C
Accuracy	± 0.2 °C (at 25 °C)

### Temperature/Resistance:

°C	NTC 20 / $\Omega$	°C	NTC 20 / $\Omega$
120	609	25	20000
100	1114	20	25350
90	1541	15	32346
80	2166	10	41567
75	2585	5	53812
70	3099	0	70203
65	3732	-5	92322
60	4517	-10	122431
55	5494	-15	163777
50	6718	-20	221088
45	8259	-25	301297
40	10211	-30	414698
35	12698	-40	810861
30	15887	-50	1659082

### Ordering guide:

Model	Product number	Description
TEPK NTC 20	1176240	strap-on temperature sensor 20 kohm / 25 °C

Products fulfil the requirements of directive 2004/108/EY and are in accordance with the standards EN61000-6-3: 2001 (Emission) and EN61000-6-2: 2001 (Immunity).

### Produal Oy

Keltakalliontie 18  
48770 Kotka  
FINLAND  
[www.produal.com](http://www.produal.com)

Tel: +358-5-230 9200  
Fax: +358-5-230 9210  
[info@produal.fi](mailto:info@produal.fi)